

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11425	configuration adj (server\$1 or node\$1 or computer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:53
L2	150	(trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near2 (configuration adj (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:26
L3	3356	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 (server\$1 near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
L4	2	2 same L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
L5	19250	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((server\$1 or node\$1 or computer\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:55
L6	2	2 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:55
L7	2	2 same (broadcast\$3 near6 (((configuration near2 (paramater\$1 or value\$1 or data or information)) or configuration) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:00
L8	1	(broadcast\$3 near6 (((configuration near2 (paramater\$1 or value\$1 or data or information)) or configuration) near3 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:01
L9	11	(broadcast\$3 near6 (((configuration near2 (paramater\$1 or value\$1 or data or information)) or configuration) near3 request\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:07

EAST Search History

L10	58	(broadcast\$3 near6 (configuration near2 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:26
L11	2	10 same (download\$3 near6 (configuration near2 (image\$1 or program\$1 or routine\$1 or parameter\$1 or value\$1 or data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:09
L12	2028	(download\$3 near6 (configuration near2 (image\$1 or program\$1 or routine\$1 or parameter\$1 or value\$1 or data or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:10
L13	1	12 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:10
L14	42	(download\$3 near6 (configuration near2 (image\$1 or program\$1 or routine\$1 or parameter\$1 or value\$1 or data or information))) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:17
L15	12	14 and (configuration adj (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:17
L16	38	(download\$3 near6 (configuration near2 (image\$1 or parameter\$1 or value\$1 or data or information))) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:17
L17	11	16 and (configuration adj (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:51
L18	1	(broadcast\$3 near6 (configuration near2 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:21
L19	1	(broadcast\$3 near6 (configuration near2 request\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:20

EAST Search History

L20	1	(broadcast\$3 near6 (configuration near3 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:21
L21	2	(broadcast\$3 near6 (configuration near3 request\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:22
L22	1	(broadcast\$3 near6 (configuration near4 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:52
L23	2	(broadcast\$3 near6 (configuration near4 request\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:29
L24	13	(broadcast\$3 near6 (configuration near4 request\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:23
L25	122	(broadcast\$3 near6 (configuration near5 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:48
L26	2	25 same (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (configuration adj (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:30
L28	4	25 same ((plurality or multiple) near6 (configuration near2 (server\$1 or node\$1 or computer\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:28
L29	139	(broadcast\$3 near6 (DHCP near2 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:44
L30	12	29 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:36

EAST Search History

L31	2	29 with ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:18
L32	10	(broadcast\$3 near6 (DHCP near2 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:39
L33	2	29 with ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:36
L34	19	(broadcast\$3 near6 (DHCP near2 request\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:39
L36	136571	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1 or computer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:24
L37	6049	36 same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:19
L38	2639	36 with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:19
L39	5537	network near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:21
L40	18	37 same L39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:21
L41	9	38 with L39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:21

EAST Search History

L42	4	40 same (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:24
L43	6	40 same ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:25
L44	3	41 with ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:23
L45	28	37 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:27
L46	9	38 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:24
L47	0	45 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:28
L48	0	46 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:25
L49	2	45 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:25
L50	1	46 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:25
L51	28	37 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:27

EAST Search History

L52	14	38 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:27
L53	6	51 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near4 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:28
L54	2	52 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near4 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:28
L55	0	(broadcast\$3 near6 (DHCP near2 request\$1)) same ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:47
L56	4	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)) same ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:45
L57	15	((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1) same ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:47
L58	4	((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1) with ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:46
L59	0	57 same DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:46

EAST Search History

L60	4	57 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:46
L61	10	(broadcast\$3 near6 (DHCP near2 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:48
L62	0	61 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:48
L63	19	(broadcast\$3 near6 (DHCP near2 request\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:50
L64	0	63 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:49
L65	32	((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:50
L66	0	65 and (broadcast\$3 near6 (DHCP near2 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:50
L67	0	65 and (broadcast\$3 near6 (DHCP near4 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:52
L68	213	(configuration adj (server\$1 or node\$1 or computer\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:53
L69	0	68 and (broadcast\$3 near6 (DHCP near4 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:52

EAST Search History

L70	1	68 and (broadcast\$3 near6 (configuration near4 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:53
L71	134	(configuration adj (server\$1 or node\$1 or computer\$1)) and 713/2. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:53
L72	0	71 and (broadcast\$3 near6 (configuration near4 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9258	(secure\$2 or safe\$2) near6 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:25
S2	7	S1 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:19
S3	7	S1 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 12:58
S4	10	S1 same (server\$1 near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:19
S5	5	S1 with (server\$1 near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:03
S6	4208	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:51
S7	4	S6 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:18
S8	1	S6 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:13
S9	3356	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 (server\$1 near3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54

EAST Search History

S10	4	S9 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:15
S11	1	S9 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:15
S12	2	S1 same S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
S13	2	S1 with S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
S14	2	S1 same S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
S15	2	S1 with S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:17
S16	13	S1 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:49
S17	11	S1 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:20
S18	6670	(secure\$2 or safe\$2) near3 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:03
S19	13	S18 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29

EAST Search History

S20	11	S18 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:27
S21	5532	network near3 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:28
S22	6672	(secure\$2 or safe\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:38
S23	13	S22 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:34
S24	11	S22 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
S25	5537	network near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
S26	24	S25 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
S27	11	S25 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:29
S28	12	S22 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:41
S29	9	S22 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:32

EAST Search History

S30	80	S25 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:34
S31	22	S25 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:34
S32	23	S30 same (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:35
S33	8	S31 with (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:37
S34	9455	(secure\$2 or safe\$2 or reliab\$2 or depend\$4 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:43
S35	18	S34 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:43
S36	10	S34 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:41
S37	7329	(secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
S38	12	S37 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
S39	9	S37 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:43

EAST Search History

S40	5537	network near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:21
S41	80	S40 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
S42	22	S40 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
S43	5	S41 same ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:57
S44	3	S42 with ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:45
S45	7	S41 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:26
S46	5	S42 with (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:46
S47	7035	(boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (server\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:56
S48	37	S47 same ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:07

EAST Search History

S49	16	S47 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:49
S50	202	(boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 ((server\$1 or node\$1) near2 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:05
S51	15	S50 same ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2 or network) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 13:57
S52	8	S50 with ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2 or network) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:04
S53	798	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:09
S54	5	S53 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:11
S55	4	S53 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:07
S56	66	S53 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:10
S57	28	S53 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:08

EAST Search History

S58	0	S56 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:08
S59	1014	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:37
S60	66	S59 same ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:10
S61	28	S59 with ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:10
S62	5	S59 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:16
S63	4	S59 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:11
S64	8	S60 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:16
S65	1	S61 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:16
S66	78	S59 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:20

EAST Search History

S67	33	S59 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:30
S68	0	S66 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:17
S69	13	S66 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
S70	3	S67 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:17
S71	84	S59 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
S72	34	S59 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:21
S73	13	S71 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:27
S74	3	S72 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:21
S75	153	S59 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
S76	58	S59 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23

EAST Search History

S77	13	S75 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:24
S78	3	S76 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:23
S79	27	S59 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:26
S80	5	S59 with (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:27
S81	10	S79 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:33
S82	0	S80 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:27
S83	35	S59 with ((plurality or multiple or multi) near3 (server\$1 or node\$ or blade\$1 or card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:31
S84	89	S59 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:38
S85	34	S59 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:33

EAST Search History

S86	14	S84 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:39
S87	3	S85 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:35
S88	2048	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:51
S89	195	S88 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:52
S90	117	S88 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:39
S91	20	S89 same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:58
S92	4	S90 with (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:49
S93	2285	(select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 (((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:23

EAST Search History

S94	195	S93 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:50
S95	117	S93 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 14:54
S96	39	S94 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:35
S97	31	S95 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:35
S98	18	S97 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:09
S99	25	S96 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36
S10 0	251	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:53
S10 1	2	S100 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:20
S10 2	9023	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:19

EAST Search History

S10 3	10	S102 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:23
S10 4	3	S102 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:21
S10 5	204	((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1) near2 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:57
S10 6	8	S105 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:24
S10 7	1	S105 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:24
S10 8	31	S95 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:35
S10 9	42	S94 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36
S11 0	17	S108 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36
S11 1	22	S109 and (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:36

EAST Search History

S11 2	10	S105 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:48
S11 3	4	S105 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:49
S11 4	29	S105.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 15:50
S11 5	5	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:40
S11 6	4	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:33
S11 7	120	broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:01
S11 8	6	S117 same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:17
S11 9	2	S117 with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:01
S12 0	9	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:07

EAST Search History

S12 1	31	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:16
S12 2	120	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:35
S12 3	9	S122 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:18
S12 4	0	S123 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:47
S12 5	31	S122 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:26
S12 6	6	S125 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:18
S12 7	17	S122 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:57
S12 8	11	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:34

EAST Search History

S12 9	184	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:42
S13 0	87	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:46
S13 1	13	S130 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:58
S13 2	14	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:56
S13 3	10	((trust\$2 or autoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:37
S13 4	12	S130 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:40
S13 5	5	S130 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:40

EAST Search History

S13 6	11344	(secure\$1 or safe or protected) near2 network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:55
S13 7	15	S129 and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:42
S13 8	0	S136 same (hyper adj secure adj remote adj service adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:45
S13 9	2	(hyper adj secure adj remote adj service adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:45
S14 0	9	S130 and ((remote adj supervisory adj adapter) or RSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:48
S14 1	10154	((remote adj supervisory adj adapter) or RSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:48
S14 2	5	(remote adj supervisory adj adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:48
S14 3	15	S130 and ((secure\$1 or safe or protected) near2 network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:57
S14 4	5	S132 same S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 16:56
S14 5	24	((secure\$1 or safe or protected) near2 network\$1) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:01

EAST Search History

S14 6	0	S145 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:20
S14 7	0	S145 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 10:57
S14 8	22	((secure\$1 or safe or protected) near2 network\$1) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:16
S14 9	15	S130 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:19
S15 0	32	((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:38
S15 1	0	S150 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:25
S15 2	13	S150 and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:24
S15 3	27	((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:24
S15 4	17	S153 and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:24

EAST Search History

S15 5	6	S153 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
S15 6	16	(Khanna and Rahul).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
S15 7	167	(Zimmer and Vincent and J).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
S15 8	4	S157 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:36
S15 9	10	S157 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:07
S16 0	0	S157 and ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1) near3 (list or table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:41
S16 1	6	S157 and ((server\$1 or node\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/07 17:41
S16 2	285	(stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1) near3 (list or table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:31
S16 3	4	S162 same (management adj server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 10:55

EAST Search History

S16 4	1266	(trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (management near2 (server\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 10:56
S16 5	99	S164 same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:15
S16 6	44	S164 with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 10:56
S16 7	2	S165 same (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 14:22
S16 8	2	S165 same ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:20
S16 9	4	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)) near6 (management near2 (server\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:19
S17 0	33	("5875306").URPN.	USPAT	OR	OFF	2006/03/08 11:02
S17 1	18	("4885770" "5113495" "5146568" "5280627" "5325529" "5390324" "5408618" "5450576" "5452454" "5504746" "5511208" "5550981" "5572528" "5574860" "5594731" "5652908" "5659544" "H001641").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 11:11
S17 2	0	S165 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:17

EAST Search History

S17 3	0	S165 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:15
S17 4	0	S166 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:16
S17 5	0	S166 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:16
S17 6	2	S164 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:16
S17 7	0	S164 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:16
S17 8	1	S162 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:18
S17 9	4	S162 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:18
S18 0	4	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)) same (management near2 (server\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:19
S18 1	4	(broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)) with (management near2 (server\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:19

EAST Search History

S18 2	60	(management near2 (server\$1 or node\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:24
S18 3	5	S182 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:24
S18 4	61	(management near2 (server\$1 or node\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:22
S18 5	8	S184 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:31
S18 6	144	(management near2 (server or node or computer)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:30
S18 7	6	S186 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:26
S18 8	127	(management near2 (server or node or computer)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:39
S18 9	14	S188 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:40
S19 0	4613	(management near2 (server or node or computer)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:30
S19 1	2203	(management adj (server or node or computer)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:30

EAST Search History

S19 2	43	S191 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:46
S19 3	20	S192 and ((server\$1 or node\$1 or computer\$1) near3 (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:32
S19 4	2203	(management adj (server or node or computer)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:39
S19 5	527	((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:40
S19 6	12	S194 and S195	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:40
S19 7	181	(management near2 (server or node or computer)) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:50
S19 8	5	S197 same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:48
S19 9	339	(management near2 (server or node or computer)) same ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:48
S20 0	7	S199 same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:50

EAST Search History

S20 1	220	(management near2 (server or node or computer)) with ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:48
S20 2	5	S201 with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:49
S20 3	21	((management near2 (server or node or computer)) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:50
S20 4	4	S203 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 13:08

EAST Search History

S20 5	45	(US-20020078188-\$ or US-20040078679-\$ or US-20030187997-\$ or US-20030093510-\$ or US-20030200290-\$ or US-20030097553-\$ or US-20040255110-\$ or US-20040193867-\$ or US-20030126242-\$ or US-20030046529-\$ or US-20040162974-\$ or US-20040030879-\$ or US-20040123091-\$ or US-20030200273-\$ or US-20040064507-\$ or US-20040059900-\$ or US-20050010757-\$ or US-20040143654-\$ or US-20030084342-\$ or US-20030018763-\$).did. or (US-5870554-\$ or US-6487186-\$ or US-6584560-\$ or US-6081890-\$ or US-6754818-\$ or US-6611911-\$ or US-6954852-\$ or US-5659748-\$ or US-5450576-\$ or US-6351810-\$ or US-6993642-\$ or US-5974547-\$ or US-5404527-\$ or US-6754707-\$ or US-6185678-\$ or US-6748423-\$ or US-6609151-\$ or US-5875306-\$ or US-6446206-\$ or US-5652908-\$ or US-6751658-\$ or US-6973587-\$ or US-7007077-\$ or US-6317826-\$). did. or (WO-2084512-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2006/03/08 12:03
S20 6	3	S205 and ((secure\$2 or safe\$2) near3 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:04
S20 7	6	S205 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:07